

MONTHLY UPDATE REPORT - PRIMROSE SOUTH 09-21-067-04 W4M

JULY 22 TO AUGUST 18, 2014

1 Introduction

The Canadian Natural Resources Limited Primrose South in situ oil sands project is located in the Cold Lake Air Weapons Range approximately 65 km north-northeast of Bonnyville, Alberta. Canadian Natural operations staff discovered a bitumen emulsion flow to surface (FTS) area at 09-21-067-04 W4M on June 24, 2013. The bitumen emulsion FTS area is beneath an unnamed water body within the Canadian Natural Primrose South production area.

On September 24, 2013, Alberta Environment and Sustainable Resource Development (ESRD) issued an Environmental Protection Order (EPO No. EPO-2013-33/NR), requesting the preparation of a Comprehensive Remedial Plan (CRP), as well as the preparation of a monthly progress report. This report addresses that requirement and summarizes the progress towards the realization of the CRP and includes data collected and reported between July 22 and August 18, 2014.

2 Summary of Activities to Date

2.1 Individual Plan Submissions

As required by the EPO, the CRP includes the development, submission, and implementation of several specific plans. The status of these plans is indicated in Table 1:

Table 1: Components of the Comprehensive Remedial Plan

Item	Plan Name	Due Date	Submission Date	Approval Date	Implementation Start Date	Completion Date	Section Discussed
1.	Water Management Plan for Dewatering	September 26, 2013	September 26, 2013	September 27, 2013	September 27, 2013	October 22, 2013	2.2
2.	Water Body Monitoring Plan	September 26, 2013	September 26, 2013	September 27, 2013	September 27, 2013	Ongoing	3.0
3.	Erosion and Sedimentation Prevention Plan	September 26, 2013	September 26, 2013	September 27, 2013	September 27, 2013	Ongoing	3.4
4.	Phase II Environmental Assessment Plan	October 15, 2013	October 3, 2013	October 17, 2013	December 16, 2013	Ongoing	--
5.	Bitumen Emulsion Delineation and Containment Plan	October 6, 2013	October 3, 2013	October 17, 2013	October 18, 2013	Ongoing	3.5
6.	Amphibian Salvage Plan	September 26, 2013	September 25, 2013	September 27, 2013	September 27, 2013	October 22, 2013	Complete
7.	Fish and Fish Habitat	September 26, 2013	September 25, 2013	September 27, 2013	September 27, 2013	October 30, 2013	Complete

Item	Plan Name	Due Date	Submission Date	Approval Date	Implementation Start Date	Completion Date	Section Discussed
Assessment Plan							
8.	Wetlands Impact Assessment Plan	September 30, 2013	September 25, 2013	September 27, 2013	September 27, 2013	October 30, 2013	Complete
9.	Water Body Restoration Plan	November 30, 2013	Revised Plan March 27, 2014	March 27, 2014	March 27, 2014	Ongoing	2.2, 3
10.	Wildlife Management Plan	N/A	Revised Plan October 23, 2013	October 23, 2013	October 23, 2013	Ongoing	3.6
11.	Waste Management Plan	N/A	Revised Plan October 24, 2013	October 24, 2013	October 24, 2013	Ongoing	3.7
12.	Bitumen Emulsion Delineation and Containment Plan	October 6, 2013	Revised Plan December 22, 2013	February 7, 2014	November 27, 2013	Pending	3.5

2.2 Water Management for Dewatering and Refilling

Activities related to dewatering and refilling were completed on June 22, 2014. No new information to report.

3 Water Body Monitoring

In accordance with the Water Body Restoration Plan (Table 1, Item 9), an extensive water quality and water quantity monitoring program was implemented on March 19, 2014. This program complements the ongoing water quality and quantity monitoring implemented in June 2013.

Details of the monitoring program are provided in the following subsections.

3.1 Water Quantity Monitoring

3.1.1 Basins 1, 3, and 4, Borrow Pit, and Downstream Fen

Daily staff gauge monitoring was initiated on March 27, 2014, coinciding with spring breakup. Staff gauge and water level monitoring locations are shown on Figure 2. Staff gauge readings for Basins 3 and 4 are in Appendix A1, and readings for the downstream fen and the borrow pit are in Appendix A2.

3.1.2 Containment Structure

Water was pumped from inside the containment wall back into Basin 1 (Figure 3). Water volumes pumped into Basin 1 from the containment area are shown in Appendix A3 and on Appendix A4.

3.2 Water Quality Monitoring

Weekly water sampling was initiated March 19, 2014. Water quality was compared to the *Alberta Tier 1 Soil and Groundwater Remediation Guidelines* (ESRD 2014a) and/or *Environmental Quality Guidelines for Alberta Surface Waters* (ESRD 2014b). Sampling locations are shown on Figure 4.

3.2.1 Basins 1, 3, and 4 and Downstream Fen

Water quality samples were collected weekly from the surface water sampling sites in Basins 1, 3, and 4 and the downstream fen (Figure 4). The samples were tested to ensure that water quality in the water body was not being affected by ongoing operations at the site. Water quality results are in Appendix B.

- Laboratory analysis of water samples was carried out for benzene, toluene, ethylbenzene, and xylenes (BTEX); petroleum hydrocarbons (PHCs) fraction 1 (F1; C₆-C₁₀, excluding BTEX), fraction 2 (F2; C_{>10}-C₁₆), fraction 3 (F3; C_{>16}-C₃₄), and fraction 4 (F4; C_{>34}); polycyclic aromatic hydrocarbons (PAHs), chlorides; total suspended solids; and turbidity.
- All water quality results were within guidelines except toluene, which was found on at least one, and up to four locations on four separate sampling dates in the surface water. Toluene is widespread in the environment and a common source is motor vehicle exhaust. The recurring occurrence of toluene is currently being investigated.

3.2.2 Containment Area, Containment Cells, and Potentially Impacted Water System

Water samples were collected from within the containment structure, from shallow groundwater monitoring wells in the discharge area, and from a system, which is used to treat water and sediments stored in containment Cells C and D. Sample results are presented in Appendix B.

- No BTEX, PHCs F1 to F4, PAHs, or routine parameters were detected at levels above guidelines in the weekly containment structure samples from Swale 1.
- No BTEX, PHCs F1 to F4, PAHs, or routine parameters were detected at levels above guidelines in the shallow groundwater samples from the discharge area.
- A total of 1,953 m³ of water has been treated and released during the reporting period.

3.2.3 Shallow Groundwater

Shallow groundwater quality samples were collected on July 29, August 5, and August 12, 2014.

All water quality results were within guidelines with the exception of three toluene measurements recorded in drive point well 13-DP1.

3.3 Aquatic Surveillance

Daily monitoring for signs of bitumen emulsion (pellets or sheen) within Basins 1 and 3 is conducted and documented by Canadian Natural contractors. This monitoring is conducted by walking the shoreline of the water body and by boat.

Sheen and bitumen pellets were observed intermittently during the reporting period. The locations of these occurrences are shown on Figure 5. The source of the sheen and pellets was small amounts of material that were not cleaned from the water and sediment after the original bitumen emulsion release. All observed bitumen emulsion pellets and sheen were collected, using absorbent material, and disposed in the onsite hazardous waste bin. Over the reporting period, less than 0.5 L of bitumen emulsion has been collected from Basins 1 and 3.

3.4 Erosion and Sedimentation Prevention

The refilling activities were completed in accordance with the conditions specified in Extension 4 of the Water Body Restoration Plan (Table 1, Item 9).

- The fen to the south of the water body showed no signs of erosion or channelization during water body refilling.
- The erosion and sediment control plan has been implemented.

3.5 Bitumen Emulsion Containment

3.5.1 Permanent Containment of Bitumen Emulsion Seepage from Fissure

In early May 2014, the fissure containment structure (FCS) was approved. A Canadian Natural construction crew built the fissure containment structure between May 4 and June 30, 2014. Following discussion with AER and ESRD, a revised design of the access pad was prepared and submitted to AER and ESRD for review and approval.

3.6 Wildlife Management

Wildlife management activities between July 22 and August 18, 2014 included removing perimeter fencing; installing, maintaining, and frequently relocating up to four wildlife scare cannons (Zon Guns); installing and maintaining amphibian pit fall traps surrounding decontamination Cell D and conducting daily inspections.

During the reporting period, live tadpoles and frogs were observed within Cell D and relocated to a nearby water body, and one dead frog was found in Basin 1 of the 9-21 water body.

3.7 Waste Management

Transportation of materials temporarily stored in lined containment Cells C and D to the Tervita Bonnyville landfill for disposal started in August 2014. Transportation for disposal is ongoing as the material is thawed and dewatered to meet landfill criteria.

Decommissioning of the former lined heavy-equipment decontamination cell was completed in July in accordance with the Waste Management Approval.

3.8 Annual Bitumen Surveillance

An annual surveillance program to identify possible presence of other FTS areas in the Primrose South operations areas was undertaken in July 2014. The July program consisted of ground reconnaissance within a 2-km area around the 9-21 site conducted by traversing existing seismic lines on quad and ARGO ATVs. A total of 220 km of seismic lines were traversed within an area of 11.4 km² surrounding the 9-21 FTS site. No additional bitumen emulsion FTS sites were found.

4 Conclusions

The work conducted at the 9-21 FTS site from July 22 to August 18, 2014 included:

- conducting an annual bitumen ground surveillance program in a 2 km radius surrounding the 9-21 FTS site
- operating a PIW treatment system at containment Cell D and releasing treated water
- transporting dewatered material from containment Cells C and D to the landfill for disposal
- dewatering from within the containment area
- ongoing monitoring of water quality, pumped quantity, discharge point erosion and sedimentation during remediation activities
- monitoring wildlife activity near the water body






Monitoring of Basins 1 and 3 indicates that there are no adverse impacts related to the bitumen emulsion release or refilling activities.

The work is progressing as planned and the objectives, as required by the EPO, are being achieved within the required time frame.

5 References

- Alberta Environment and Sustainable Resource Development (ESRD). 2014a. *Alberta Tier 1 Soil and Groundwater Remediation Guidelines, 2014 and Updates*. Final Draft. Land and Forestry Policy Branch, Policy Division. Edmonton, Alberta. May 23, 2014.
<http://esrd.alberta.ca/lands-forests/land-industrial/inspections-and-compliance/documents/AlbertaTier1Guidelines-May23-2014.pdf>
- Alberta Environment and Sustainable Resource Development (ESRD). 2014b. *Environmental Quality Guidelines for Alberta Surface Waters*. Water Policy Branch, Policy Division. Edmonton, Alberta. July 14, 2014. ISBN: 978-1-4601-1524-4.
<http://esrd.alberta.ca/water/education-guidelines/documents/EnvironmentalQualitySurfaceWaters-Jul14-2014.pdf>




-  Basin Boundary
-  Watercourse
-  Road
-  Cut Line
-  Pipeline



Canadian Natural Resources Limited
Primrose 09-21-067-04 W4M


9-21 Water Body Divisions



Date: 20 Aug 2014 Project: 8881-523 Technical: B. Zaitlin Reviewer: R. Reimer Drawn: R. Keller

Disclaimer: The information contained herein may be compiled from numerous third party materials that are subject to periodic change without prior notification. While every effort has been made by Matrix Solutions Inc. to ensure the accuracy of the information presented at the time of publication, Matrix Solutions Inc. assumes no liability for any errors, omissions, or inaccuracies in the third party material.

Figure 1



	Containment Cell		Direction of Flow
	Decommissioned Containment Cell		Staff Gauge Location
	Basin Boundary		Water Level Monitoring Location
	Water Body		
	Watercourse		
	Road		
	Cut Line		
	Pipeline		



1:17,500


 NAD 1983 UTM Zone 12N

Canadian Natural Resources Limited
 Primrose 09-21-067-04 W4M

Staff Gauge and Water Level Monitoring Locations

Date: 20 Aug 2014	Project: 8881-523	Technical: B. Zaitlin	Reviewer: R. Reimer	Drawn: R. Keller
Disclaimer: The information contained herein may be compiled from numerous third party materials that are subject to periodic change without prior notification. While every effort has been made by Matrix Solutions Inc. to ensure the accuracy of the information presented at the time of publication, Matrix Solutions Inc. assumes no liability for any errors, omissions, or inaccuracies in the third party material.				Figure 2







Canadian Natural Resources Limited
Primrose 09-21-067-04 W4M

Containment Structure Pump Locations

Date: 20 Aug 2014	Project: 8881-523	Technical: B. Zaitlin	Reviewer: R. Reimer	Drawn: R. Keller
Disclaimer: The information contained herein may be compiled from numerous third party materials that are subject to periodic change without prior notification. While every effort has been made by Matrix Solutions Inc. to ensure the accuracy of the information presented at the time of publication, Matrix Solutions Inc. assumes no liability for any errors, omissions, or inaccuracies in the third party material.				Figure 3





Containment Cell	Pipeline	
Decommissioned Containment Cell	Containment Structure	
Access	Potentially Impacted Water System	
Rig Matting	Drivepoint Piezometer Sample Location	
Basin Boundary	Surface Water Sample Location	
Old Borrow Area	Note: 14-SW81 sample taken from collected water inside sheet pile wall	
Water Body		
Watercourse		
Road		
Cut Line		



Canadian Natural Resources Limited
Primrose 09-21-067-04 W4M


Monitoring Plan Overview

Date: 20 Aug 2014	Project: 8881-523	Technical: B. Zaitlin	Reviewer: R. Reimer	Drawn: R. Keller
-------------------	-------------------	-----------------------	---------------------	------------------



1:17,500
180 0 180 360
NAD 1983 UTM Zone 12N

Reference: Data obtained from AltaGIS © Government of Alberta and GeoBase® used under license. GDM midstream and transportation infrastructure data provided by IHS © 2014 used under license. Site features provided through Matrix Solutions Inc. field efforts. Imagery (September 2013) obtained from Canadian Natural Resources Limited used under license.




Access	Bitumen Sheen Detected
Rig Matting	Bitumen Detected
Water Body	Containment Structure Station Location
Berm	
Containment Structure	
Buried fissure	
Existing Silt Boom	
Existing Sorb Boom	
Zone	

Canadian Natural Resources Limited
Primrose 09-21-067-04 W4M

Aquatic Surveillance Site Plan

Date: 20 Aug 2014	Project: 8881-523	Technical: B. Zaitlin	Reviewer: R. Reimer	Drawn: R. Keller
Disclaimer: The information contained herein may be compiled from numerous third party materials that are subject to periodic change without prior notification. While every effort has been made by Matrix Solutions Inc. to ensure the accuracy of the information presented at the time of publication, Matrix Solutions Inc. assumes no liability for any errors, omissions, or inaccuracies in the third party material.				Figure 5


Reference: Site features provided through Matrix Solutions Inc. field efforts. Imagery (September 2013) obtained from Canadian Natural Resources Limited used under license.




APPENDIX A

WATER LEVELS AND PUMP VOLUMES

Appendix A1: Water Levels at 9-21 Water Body



Appendix A2: Water Levels in the Downstream Fen and Borrow Pit



Appendix A3: Daily Volumes Pumped from the Containment Structure to Basin 1 and 3

09-21 Water Body: Refilling Phase

Date	Rewatering Volume	Cumulative Pumped (m ³)	Rewatering Volume	Cumulative Pumped (m ³)	Rewatering Volume	Cumulative Pumped (m ³)
	(m ³ /day)	(m ³)	(m ³ /day)	(m ³)	(m ³ /day)	(m ³)
	Containment Structure					
	14-SW1-P1		14-SW1-P2		South Wall	
27-Mar-14	-	-	-	-	-	-
28-Mar-14	-	-	-	-	-	-
29-Mar-14	-	-	-	-	-	-
30-Mar-14	-	-	-	-	-	-
31-Mar-14	-	-	-	-	-	-
1-Apr-14	-	-	-	-	-	-
2-Apr-14	-	-	-	-	-	-
3-Apr-14	-	-	-	-	-	-
4-Apr-14	-	-	-	-	-	-
5-Apr-14	-	-	-	-	-	-
6-Apr-14	15	15	-	-	-	-
7-Apr-14	23	38	4	4	-	-
8-Apr-14	0	38	11	15	-	-
9-Apr-14	11	49	14	30	-	-
10-Apr-14	31	80	23	53	-	-
11-Apr-14	0	80	0	53	-	-
12-Apr-14	11	91	13	66	-	-
13-Apr-14	15	106	25	91	-	-
14-Apr-14	765	871	20	111	-	-
15-Apr-14	1,308	2,179	73	184	-	-
16-Apr-14	1,521	3,700	70	254	-	-
17-Apr-14	1,442	5,142	75	329	-	-
18-Apr-14	6,081	11,223	70	399	-	-
19-Apr-14	4,675	15,898	545	944	-	-
20-Apr-14	6,623	22,521	114	1,058	-	-
21-Apr-14	10,261	32,782	116	1,173	-	-
22-Apr-14	18,147	50,929	7	1,181	-	-
23-Apr-14	10,673	61,602	93	1,274	-	-
24-Apr-14	11,714	73,316	113	1,387	-	-
25-Apr-14	12,539	85,856	123	1,510	-	-
26-Apr-14	13,361	99,217	89	1,599	-	-
27-Apr-14	13,959	113,176	111	1,709	-	-
28-Apr-14	19,120	132,296	110	1,819	-	-
29-Apr-14	19,121	151,417	111	1,930	-	-
30-Apr-14	19,707	171,124	170	2,100	-	-
1-May-14	20,462	191,586	219	2,319	-	-
2-May-14	15,820	207,406	178	2,497	-	-
3-May-14	9,497	216,903	740	3,237	-	-
4-May-14	9,646	226,549	2,160	5,397	-	-
5-May-14	8,309	234,858	2,160	7,557	-	-
6-May-14	8,176	243,034	1,980	9,537	-	-
7-May-14	8,055	251,089	1,980	11,517	-	-

Containment Structure Total		
Daily Volume to Water Body from Containment Structure (m ³ /day)	Cumulative Total to Water Body from Containment Structure (m ³)	Comments
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	
15	15	
28	42	
11	53	
25	79	
54	133	
0	133	
24	157	
40	197	
785	982	
1,381	2,363	
1,591	3,954	
1,517	5,471	
6,151	11,621	
5,220	16,841	
6,737	23,578	
10,377	33,955	
18,154	52,110	
10,766	62,876	
11,827	74,703	
12,662	87,366	
13,450	100,816	
14,070	114,886	
19,230	134,116	
19,232	153,348	
19,877	173,225	
20,681	193,906	
15,998	209,904	
10,237	220,141	
11,806	231,947	
10,469	242,416	
10,156	252,572	
10,035	262,607	

Appendix A3: Daily Volumes Pumped from the Containment Structure to Basin 1 and 3

09-21 Water Body: Refilling Phase

Date	Rewatering Volume	Cumulative Pumped (m ³)	Rewatering Volume	Cumulative Pumped (m ³)	Rewatering Volume	Cumulative Pumped (m ³)	Containment Structure Total			
	(m ³ /day)	(m ³)	(m ³ /day)	(m ³)	(m ³ /day)	(m ³)	Daily Volume to Water Body from Containment Structure (m ³ /day)	Cumulative Total to Water Body from Containment Structure (m ³)	Comments	
	Containment Structure						14-SW1-P1	14-SW1-P2		South Wall
8-May-14	4,783	255,872	450	11,967	-	-	5,233	267,840		
9-May-14	9,911	265,783	1,980	13,947	-	-	11,891	279,731		
10-May-14	10,928	276,711	1,980	15,927	-	-	12,908	292,639		
11-May-14	11,439	288,150	1,980	17,907	-	-	13,419	306,058		
12-May-14	12,630	300,780	1,980	19,887	-	-	14,610	320,668		
13-May-14	12,539	313,319	1,980	21,867	-	-	14,519	335,187		
14-May-14	12,450	325,769	1,980	23,847	-	-	14,430	349,616		
15-May-14	12,143	337,912	1,980	25,827	-	-	14,123	363,740		
16-May-14	11,157	349,069	2,160	27,987	-	-	13,317	377,057		
17-May-14	10,608	359,677	2,160	30,147	-	-	12,768	389,825		
18-May-14	9,515	369,192	1,980	32,127	-	-	11,495	401,320		
19-May-14	9,616	378,808	1,980	34,107	-	-	11,596	412,916		
20-May-14	6,548	385,356	1,980	36,087	1800	1800	10,328	423,244	Begin Pumping From Swale 3	
21-May-14	5,964	391,320	1,800	37,887	1800	3,600	9,564	432,808		
22-May-14	5,723	397,043	1,890	39,777	2070	5,670	9,683	442,491	Poly installed from station: 191-212, 215-242	
23-May-14	3,659	400,702	1,890	41,667	1800	7,470	7,349	449,840	Poly installed from station: 152-182	
24-May-14	3,762	404,464	1,980	43,647	1800	9,270	7,542	457,382	Poly installed from station: 120-128.5, 135-151	
25-May-14	3,192	407,656	1,890	45,537	1960	11,230	7,042	464,424	Poly installed from station: 73.5-120	
26-May-14	2,905	410,561	1,800	47,337	990	12,220	5,695	470,119	Poly installed from station: 59.5-73.5, 246-269.5	
27-May-14	2,692	413,253	1,980	49,317	1170	13,390	5,842	475,961	Poly installed from station: 277-351	
28-May-14	2,571	415,824	1,440	50,757	1170	14,560	5,181	481,142	Poly installed from station: 352-385	
29-May-14	3,541	419,365	1,620	52,377	1,260	15,820	6,421	487,563		
30-May-14	2,723	422,088	1,980	54,357	900	16,720	5,603	493,166		
31-May-14	2,599	424,687	1,800	56,157	1080	17,800	5,479	498,645		
1-Jun-14	2,721	427,408	1,980	58,137	900	18,700	5,601	504,246		
2-Jun-14	2,513	429,921	1,800	59,937	1,080	19,780	5,393	509,639		
3-Jun-14	2,429	432,351	1,800	61,737	1080	20,860	5,309	514,948		
4-Jun-14	2,448	434,799	1,800	63,537	1260	22,120	5,508	520,456		
5-Jun-14	2,380	437,179	1,980	65,517	1440	23,560	5,800	526,256		
6-Jun-14	2,239	439,418	1,440	66,957	1440	25,000	5,119	531,375		
7-Jun-14	2,290	441,708	1,440	68,397	1800	26,800	5,530	536,905		
8-Jun-14	2,128	443,836	1,440	69,837	1620	28,420	5,188	542,093		
9-Jun-14	1,948	445,784	1440	71,097	1,260	29,860	4,648	546,741		
10-Jun-14	1,764	447,548	1,260	72,357	1620	31,480	4,644	551,385		
11-Jun-14	1,864	449,412	1,260	73,617	1620	33,100	4,744	556,129		
12-Jun-14	2,000	451,412	1,440	75,057	1800	34,900	5,240	561,369		
13-Jun-14	1,874	453,286	1,620	76,677	900	35,800	4,394	565,763		
14-Jun-14	1,980	455,266	1,620	78,297	720	36,520	4,320	570,083		
15-Jun-14	1,980	457,246	1,620	79,917	900	37,420	4,500	574,583		
16-Jun-14	1,980	459,226	1,620	81,537	900	38,320	4,500	579,083		
17-Jun-14	1,980	461,206	1,620	83,157	900	39,220	4,500	583,583		
18-Jun-14	1,980	463,186	1,620	84,777	900	40,120	4,500	588,083		
19-Jun-14	1,980	465,166	1,620	86,397	900	41,020	4,500	592,583		

Appendix A3: Daily Volumes Pumped from the Containment Structure to Basin 1 and 3

09-21 Water Body: Refilling Phase

Date	Rewatering Volume	Cumulative Pumped (m ³)	Rewatering Volume	Cumulative Pumped (m ³)	Rewatering Volume	Cumulative Pumped (m ³)	Containment Structure Total		
	(m ³ /day)	(m ³)	(m ³ /day)	(m ³)	(m ³ /day)	(m ³)	Daily Volume to Water Body from Containment Structure (m ³ /day)	Cumulative Total to Water Body from Containment Structure (m ³)	Comments
	Containment Structure						Daily Volume to Water Body from Containment Structure (m ³ /day)	Cumulative Total to Water Body from Containment Structure (m ³)	
	14-SW1-P1		14-SW1-P2		South Wall				
20-Jun-14	1,980	467,146	1,620	88,017	1080	42,100	4,680	597,263	
21-Jun-14	1,980	469,126	1,620	89,637	900	43,000	4,500	601,763	
22-Jun-14	1,980	471,106	1,620	91,257	1260	44,260	4,860	606,623	
23-Jun-14	1,980	473,086	1,620	92,877	900	45,160	4,500	611,123	
24-Jun-14	1,980	475,066	1,620	94,497	900	46,060	4,500	615,623	
25-Jun-14	1,980	477,046	1,620	96,117	720	46,780	4,320	619,943	
26-Jun-14	1,980	479,026	1,620	97,737	900	47,680	4,500	624,443	
27-Jun-14	1,980	481,006	1,620	99,357	1260	48,940	4,860	629,303	
28-Jun-14	1,440	482,446	1,620	100,977	1890	50,830	4,950	634,253	
29-Jun-14	0	482,446	3,420	104,397	360	51,190	3,420	637,673	Pumps and swales re-adjusted. Only swale 2 releases water over the wall
30-Jun-14	540	482,986	3,060	107,457	540	51,730	3,060	640,733	
1-Jul-14	0	482,986	3,060	110,517	980	52,710	3,060	643,793	
2-Jul-14	0	482,986	3,060	113,577	1070	53,780	3,060	646,853	
3-Jul-14	0	482,986	3,060	116,637	1080	54,860	3,060	649,913	
4-Jul-14	0	482,986	3,060	119,697	1080	55,940	3,060	652,973	
5-Jul-14	0	482,986	3,060	122,757	1080	57,020	3,060	656,033	
6-Jul-14	0	482,986	3,060	125,817	1080	58,100	3,060	659,093	
7-Jul-14	0	482,986	2,900	128,717	1080	59,180	2,900	661,993	
8-Jul-14	0	482,986	2,160	130,877	-	-	2,160	664,153	Only recording swale 2 pump totals. Only swale 2 releases water over the wall.
9-Jul-14	0	482,986	2,160	133,037	-	-	2,160	666,313	
10-Jul-14	0	482,986	2,160	135,197	-	-	2,160	668,473	
11-Jul-14	0	482,986	2,160	137,357	-	-	2,160	670,633	
12-Jul-14	0	482,986	1,980	139,337	-	-	1,980	672,613	
13-Jul-14	0	482,986	2,160	141,497	-	-	2,160	674,773	
14-Jul-14	0	482,986	2,160	143,657	-	-	2,160	676,933	
15-Jul-14	-	-	2,160	145,817	-	-	2,160	679,093	
16-Jul-14	-	-	1,980	147,797	-	-	1,980	681,073	
17-Jul-14	-	-	1,980	149,777	-	-	1,980	683,053	
18-Jul-14	-	-	1,980	151,757	-	-	1,980	685,033	
19-Jul-14	-	-	1,800	153,557	-	-	1,800	686,833	
20-Jul-14	-	-	1,620	155,177	-	-	1,620	688,453	
21-Jul-14	-	-	1,260	156,437	-	-	1,260	689,713	
22-Jul-14	-	-	1,260	157,697	-	-	1,260	690,973	
23-Jul-14	-	-	1,260	158,957	-	-	1,260	692,233	
24-Jul-14	-	-	1,260	160,217	-	-	1,260	693,493	
25-Jul-14	-	-	1,980	162,197	-	-	1,980	695,473	
26-Jul-14	-	-	2,160	164,357	-	-	2,160	697,633	
27-Jul-14	-	-	1,080	165,437	-	-	1,080	698,713	
28-Jul-14	-	-	1,080	166,517	-	-	1,080	699,793	
29-Jul-14	-	-	1,980	168,497	-	-	1,980	701,773	
30-Jul-14	-	-	1,215	169,712	-	-	1,215	702,988	
31-Jul-14	-	-	1,260	170,972	-	-	1,260	704,248	
1-Aug-14	-	-	1,170	172,142	-	-	1,170	705,418	


Appendix A3: Daily Volumes Pumped from the Containment Structure to Basin 1 and 3

09-21 Water Body: Refilling Phase

Date	Rewatering Volume	Cumulative Pumped (m ³)	Rewatering Volume	Cumulative Pumped (m ³)	Rewatering Volume	Cumulative Pumped (m ³)
	(m ³ /day)		(m ³ /day)		(m ³ /day)	
	Containment Structure					
	14-SW1-P1		14-SW1-P2		South Wall	
2-Aug-14	-	-	1,215	173,357	-	-
3-Aug-14	-	-	1,215	174,572	-	-
4-Aug-14	-	-	1,305	175,877	-	-
5-Aug-14	-	-	1,350	177,227	-	-
6-Aug-14	-	-	1,260	178,487	-	-
7-Aug-14	-	-	1,350	179,837	-	-
8-Aug-14	-	-	1,260	181,097	-	-
9-Aug-14	-	-	1,710	182,807	-	-
10-Aug-14	-	-	1,125	183,932	-	-
11-Aug-14	-	-	1,215	185,147	-	-
12-Aug-14	-	-	1,215	186,362	-	-
13-Aug-14	-	-	1,260	187,622	-	-
14-Aug-14	-	-	1,260	188,882	-	-
15-Aug-14	-	-	1,260	190,142	-	-
16-Aug-14	-	-	1,260	191,402	-	-
17-Aug-14	-	-	1,170	192,572	-	-
18-Aug-14	-	-	1,260	193,832	-	-
19-Aug-14	-	-		193,832	-	-

Containment Structure Total		
Daily Volume to Water Body from Containment Structure (m ³ /day)	Cumulative Total to Water Body from Containment Structure (m ³)	Comments
1,215	706,633	
1,215	707,848	
1,305	709,153	
1,350	710,503	
1,260	711,763	
1,350	713,113	
1,260	714,373	
1,710	716,083	
1,125	717,208	
1,215	718,423	
1,215	719,638	
1,260	720,898	
1,260	722,158	
1,260	723,418	
1,260	724,678	
1,170	725,848	
1,260	727,108	
0	727,108	

Appendix A4: 9-21 Containment Structure - Daily Pumping Rates



APPENDIX B

WATER QUALITY RESULTS SUMMARY

TABLE B1.**WATER QUALITY RESULTS - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
Surface Water Samples									
13-SW12	19-Mar-14	<0.0004	0.0044	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW12	27-Mar-14	<0.0004	0.0085	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW12	01-Apr-14	<0.0004	0.0006	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW12	08-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW12	15-Apr-14	<0.0004	0.0180	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW12	22-Apr-14	<0.0004	0.0040	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW12	29-Apr-14	<0.0004	0.0140	<0.0004	<0.0008	<0.1	<0.1	---	---
13-SW12	22-May-14	<0.00040	0.00055	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW12	27-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW12	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW12	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW12	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW12	23-Jun-14	<0.00040	0.00130	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW12	01-Jul-14	<0.00040	<0.0020	<0.00040	<0.0040	<0.10	<0.10	---	---
13-SW12	08-Jul-14	<0.00040	0.00170	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW12	05-Aug-14	<0.00040	0.00380	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW12a	06-May-14	<0.0004	0.0060	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW12a	13-May-14	<0.00040	0.00120	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW12a	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW12b	06-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW12b	13-May-14	<0.00040	0.00096	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW12c	20-May-14	<0.00040	0.00042	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
ESRD Freshwater Aquatic Life*		0.04	0.0005	0.09	0.03	NSST	NSST	NS	NS
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	NS	NS
ESRD Agriculture - Livestock*		NS	0.024	0.0024	NS	NS	NS	NS	NS

TABLE B1.**WATER QUALITY RESULTS - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
Surface Water Samples									
13-SW16	13-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW16	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW16	27-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW16	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW16	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW16	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW16	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW16	01-Jul-14	<0.00040	<0.0020	<0.00040	<0.0040	<0.10	<0.10	---	---
13-SW16	08-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW16	15-Jul-14	<0.00040	0.00068	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW16	22-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW16	29-Jul-14	<0.00040	0.00064	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW16	05-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW16	12-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW22	01-Apr-14	<0.0004	0.00230	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW22	08-Apr-14	<0.0004	0.00084	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW22	15-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW22	22-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW22	29-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	---	---
13-SW22	06-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW22	13-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW22	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW22	27-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW22	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW22	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW22	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW22	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW22	01-Jul-14	<0.00040	<0.0020	<0.00040	<0.0040	<0.10	<0.10	---	---
13-SW22	08-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW22	05-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW26	13-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	0.23	<0.20
13-SW26	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW26	27-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW26	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW26	09-Jun-14	<0.00040	0.00290	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW26	16-Jun-14	<0.00040	0.00100	<0.00040	<0.00080	<0.10	<0.10	---	---
ESRD Freshwater Aquatic Life*		0.04	0.0005	0.09	0.03	NSST	NSST	NS	NS
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	NS	NS
ESRD Agriculture - Livestock*		NS	0.024	0.0024	NS	NS	NS	NS	NS

TABLE B1.**WATER QUALITY RESULTS - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
Surface Water Samples									
13-SW26	23-Jun-14	<0.00040	<i>0.00150</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW26	01-Jul-14	<0.00040	<i>0.00670</i>	<0.00040	<0.0040	<0.10	<0.10	---	---
13-SW26	08-Jul-14	<0.00040	<i>0.00500</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW26	15-Jul-14	<0.00040	<i>0.00450</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW26 dup	15-Jul-14	<0.00040	<i>0.00370</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW26	22-Jul-14	<0.00040	<i>0.00130</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW26	29-Jul-14	<0.00040	<i>0.00120</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW26	05-Aug-14	<0.00040	<i>0.00190</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW26	12-Aug-14	<0.00040	<i>0.00320</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW27	13-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW27	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW27	27-May-14	<0.00040	<i>0.00100</i>	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW27	02-Jun-14	<0.0004	<i>0.00140</i>	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW27	09-Jun-14	<0.00040	<i>0.00096</i>	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW27	16-Jun-14	<0.00040	<i>0.00100</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW27	23-Jun-14	<0.00040	<i>0.00270</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW27	01-Jul-14	<0.00040	<i>0.00210</i>	<0.00040	<0.0040	<0.10	<0.10	---	---
13-SW27	08-Jul-14	<0.00040	<i>0.00170</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW27	15-Jul-14	<0.00040	<i>0.00250</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW27	22-Jul-14	<0.00040	<i>0.00170</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW27	29-Jul-14	<0.00040	<i>0.00270</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW27	05-Aug-14	<0.00040	<i>0.00110</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW27	12-Aug-14	<0.00040	<i>0.01100</i>	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31	08-Apr-14	<0.0004	<i>0.0011</i>	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW31	15-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW31 dup	15-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW31	22-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW31 dup	22-Apr-14	<0.0004	0.00043	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
13-SW31	29-Apr-14	<0.0004	<i>0.0017</i>	<0.0004	<0.0008	<0.1	<0.1	---	---
13-SW31 dup	29-Apr-14	<0.0004	<i>0.0150</i>	<0.0004	<0.0008	<0.1	<0.1	---	---
13-SW31	06-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW31 dup	06-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	0.11	<0.20	<0.20
13-SW31	13-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW31 dup	13-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW31	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW31 dup	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
ESRD Freshwater Aquatic Life*		0.04	0.0005	0.09	0.03	NSST	NSST	NS	NS
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	NS	NS
ESRD Agriculture - Livestock*		NS	0.024	0.0024	NS	NS	NS	NS	NS

TABLE B1.**WATER QUALITY RESULTS - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
Surface Water Samples									
13-SW31	27-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW31 dup	27-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW31	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW31 dup	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW31	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW31 dup	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW31	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31 dup	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31 dup	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31	01-Jul-14	<0.00040	<0.0020	<0.00040	<0.0040	<0.10	<0.10	---	---
13-SW31 dup	01-Jul-14	<0.00040	<0.0020	<0.00040	<0.0040	0.11	<0.10	---	---
13-SW31	08-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31 dup	08-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31	22-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31	29-Jul-14	<0.00040	0.00042	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31	05-Aug-14	<0.00040	0.00520	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW31	12-Aug-14	<0.00040	0.00710	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW46	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
13-SW46	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
13-SW46	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
13-SW46	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW46	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
13-SW46	01-Jul-14	<0.00040	<0.0020	<0.00040	<0.0040	0.11	<0.10	---	---
13-SW46	08-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
Basin 3 Culvert	15-Jul-14	<0.00040	0.00240	<0.00040	<0.00080	<0.10	<0.10	---	---
Basin 4 Culvert	15-Jul-14	<0.00040	0.00180	<0.00040	<0.00080	<0.10	<0.10	---	---
ESRD Freshwater Aquatic Life*		0.04	0.0005	0.09	0.03	NSST	NSST	NS	NS
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	NS	NS
ESRD Agriculture - Livestock*		NS	0.024	0.0024	NS	NS	NS	NS	NS

TABLE B1.**WATER QUALITY RESULTS - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
Containment Structure Samples									
14-SW1-P1	01-Apr-14	<0.0004	0.00046	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
14-SW1-P1	22-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
14-SW1-P1	29-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	---	---
14-SW1-P1	06-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.20	<0.20
14-SW1-P1	13-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.1	<0.20	<0.20
14-SW1-P1	20-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-SW1-P1	27-May-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
14-SW1-P2	05-Apr-14	<0.0004	0.00050	<0.0004	<0.0008	<0.1	<0.1	<0.2	<0.2
14-SW81	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
14-SW81	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
14-SW81	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-SW81	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-SW81	01-Jul-14	<0.00040	<0.0020	<0.00040	<0.0040	<0.10	0.2	---	---
14-SW81	08-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-SW81	05-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
Minor Spill Sampling									
Boat Motor Spill	22-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
Minimal Detection Limit		0.0004	0.0004	0.0004	0.0008	0.1	0.1	0.2	0.2
ESRD Freshwater Aquatic Life*		0.04	0.0005	0.09	0.03	NSST	NSST	NS	NS
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	NS	NS
ESRD Agriculture - Livestock*		NS	0.024	0.0024	NS	NS	NS	NS	NS

Notes:

--- - not analyzed

NS - guideline not specified

ST - see applicable guidelines for short-term exposure guideline

* - Environmental Quality Guidelines for Alberta Surface Waters (ESRD 2014)

Italics - indicates values do not meet applicable guidelines

TABLE B2.

WATER QUALITY RESULTS - POLYCYCLIC AROMATIC HYDROCARBONS

Canadian Natural Resources Limited
09-21-064-04 W4M

Sample Point	Date	Acenaphthene µg/L	Acenaphthylene µg/L	Acridine µg/L	Anthracene µg/L	Benzo[a]anthracene µg/L	Benzo[b,]fluoranthene µg/L	Benzo[k]fluoranthene µg/L	Benzo[g,h,i]perylene µg/L	Benzo[c]phenanthrene µg/L	Benzo[a]pyrene µg/L	Benzo[e]pyrene µg/L	Chrysene µg/L	Dibenz[a,h]anthracene µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno[1,2,3-cd]pyrene µg/L	Naphthalene µg/L	2-Methylnaphthalene µg/L	Perylene µg/L	Phenanthrene µg/L	Pyrene µg/L	Quinoline µg/L	TOTAL PAH µg/L
Containment Structure Samples																								
14-SW1-P1	01-Apr-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW1-P1	22-Apr-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW1-P1	29-Apr-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW1-P1	06-May-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	0.033	<0.20	0.033
14-SW1-P1	13-May-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW1-P1	20-May-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW1-P1	27-May-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW1-P2	05-Apr-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW81	02-Jun-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW81	09-Jun-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW81	16-Jun-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW81	23-Jun-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW81	01-Jul-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW81	08-Jul-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
14-SW81	05-Aug-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
Minor Spill Sampling																								
Boat Motor Spill	22-Jul-14	<0.10	<0.10	<0.20	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.050	<0.0075	<0.050	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.10	<0.050	<0.050	<0.020	<0.20	ND
Minimal Detection Limit		0.1	0.1	0.2	0.01	0.0085	0.0085	0.0085	0.0085	0.05	0.0075	0.05	0.0085	0.0075	0.01	0.05	0.0085	0.1	0.1	0.05	0.05	0.02	0.2	-
ESRD Freshwater Aquatic Life*		5.8	NS	4.4	0.012	0.018	NS	NS	NS	NS	0.015	NS	NS	NS	0.04	3	NS	1	NS	NS	0.4	0.025	3.4	NS
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
ESRD Agriculture - Livestock*		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Notes:

- - not analyzed
- NS - not specified
- ND - not detected
- * - Environmental Quality Guidelines for Alberta Surface Waters (ESRD 2014)
- Italics** - indicates values do not meet applicable guidelines

TABLE B3.

WATER QUALITY RESULTS - ROUTINE WATER CHEMISTRY

Canadian Natural Resources Limited
09-21-064-04 W4M

Sample Point	Sample Date	Lab pH	Lab EC µS/cm	Ca mg/L	Mg mg/L	Na mg/L	K mg/L	Cl mg/L	SO ₄ mg/L	NO ₂ -N mg/L	NO ₃ -N mg/L	NO ₃ +NO ₂ -N mg/L	Total Alkalinity mg/L	HCO ₃ mg/L	Hardness mg/L	TDS mg/L	TSS mg/L	Turbidity NTU
Surface Water Samples																		
13-SW12	19-Mar-14	7.56	90	12	3	0.98	2.6	1.2	<1	<0.01	<0.01	<0.001	43	52	42	46	24	10
13-SW12	27-Mar-14	---	---	---	---	---	---	1.3	---	---	---	---	---	---	---	---	6.7	3.1
13-SW12	01-Apr-14	---	---	---	---	---	---	1.5	---	---	---	---	---	---	---	---	4	---
13-SW12	08-Apr-14	---	---	---	---	---	---	<1	---	---	---	---	---	---	---	---	37	27
13-SW12	15-Apr-14	---	---	---	---	---	---	2.3	---	---	---	---	---	---	---	---	40	14
13-SW12	22-Apr-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	37	15
13-SW12	29-Apr-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	7.3	1.8
13-SW12	22-May-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	<1.0	0.55
13-SW12	27-May-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	1.3	0.57
13-SW12	02-Jun-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	<1.0	0.66
13-SW12	09-Jun-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	1.3	0.55
13-SW12	16-Jun-14	---	---	---	---	---	---	1.4	---	---	---	---	---	---	---	---	17	4.2
13-SW12	23-Jun-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	3.3	2.1
13-SW12	01-Jul-14	---	---	---	---	---	---	<2.0	---	---	---	---	---	---	---	---	---	---
13-SW12	08-Jul-14	---	---	---	---	---	---	1.7	---	---	---	---	---	---	---	---	---	---
13-SW12	05-Aug-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	180	39
13-SW12a	06-May-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	20	5.7
13-SW12a	13-May-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	1.3	0.88
13-SW12a	20-May-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	3.3	1.1
13-SW12b	06-May-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	59	19
13-SW12b	13-May-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	170	9.5
13-SW12c	20-May-14	---	---	---	---	---	---	1.3	---	---	---	---	---	---	---	---	6.7	2.5
13-SW16	13-May-14	---	---	---	---	---	---	6.0	---	---	---	---	---	---	---	---	10	11
13-SW16	20-May-14	---	---	---	---	---	---	5.7	---	---	---	---	---	---	---	---	3.3	2.4
13-SW16	27-May-14	---	---	---	---	---	---	3.4	---	---	---	---	---	---	---	---	2	0.95
13-SW16	02-Jun-14	---	---	---	---	---	---	4.4	---	---	---	---	---	---	---	---	<1.0	1.1
13-SW16	09-Jun-14	---	---	---	---	---	---	3.5	---	---	---	---	---	---	---	---	2	0.81
13-SW16	16-Jun-14	---	---	---	---	---	---	7.4	---	---	---	---	---	---	---	---	10	3.5
13-SW16	23-Jun-14	---	---	---	---	---	---	7.5	---	---	---	---	---	---	---	---	66	7.6
13-SW16	01-Jul-14	---	---	---	---	---	---	8.4	---	---	---	---	---	---	---	---	---	---
13-SW16	08-Jul-14	---	---	---	---	---	---	5.3	---	---	---	---	---	---	---	---	---	---
13-SW16	15-Jul-14	---	---	---	---	---	---	5.4	---	---	---	---	---	---	---	---	---	---
13-SW16	22-Jul-14	---	---	---	---	---	---	5.7	---	---	---	---	---	---	---	---	9.3	7.1
13-SW16	29-Jul-14	---	---	---	---	---	---	7.1	---	---	---	---	---	---	---	---	10	6.2
13-SW16	05-Aug-14	---	---	---	---	---	---	5.5	---	---	---	---	---	---	---	---	7.3	8
13-SW16	12-Aug-14	---	130	---	---	---	---	5.9	---	---	---	---	---	---	---	---	---	---
ESRD Freshwater Aquatic Life*		6.5-9.0 ^{pH}	NS	NS	NS	NS	NS	120 ^{LT}	H ^{SO4}	Cl ^{LT}	3 ^{LT}	NS	20 ^{Alk}	NS	NS	NS	narrative	narrative
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	100 ^{crop}	NS	NS	NS	NS	NS	NS	NS	500 ^{crop}	NS	NS
ESRD Agriculture - Livestock*		NS	NS	1000	NS	NS	NS	NS	1000	10	NS	100	NS	NS	NS	3000	NS	NS

TABLE B3.

WATER QUALITY RESULTS - ROUTINE WATER CHEMISTRY

Canadian Natural Resources Limited
09-21-064-04 W4M

Sample Point	Sample Date	Lab pH	Lab EC µS/cm	Ca mg/L	Mg mg/L	Na mg/L	K mg/L	Cl mg/L	SO ₄ mg/L	NO ₂ -N mg/L	NO ₃ -N mg/L	NO ₃ +NO ₂ -N mg/L	Total Alkalinity mg/L	HCO ₃ mg/L	Hardness mg/L	TDS mg/L	TSS mg/L	Turbidity NTU
Surface Water Samples																		
13-SW22	01-Apr-14	---	---	---	---	---	---	2.1	---	---	---	---	---	---	---	---	3.3	---
13-SW22	08-Apr-14	---	---	---	---	---	---	1.5	---	---	---	---	---	---	---	---	7.3	6.1
13-SW22	15-Apr-14	---	---	---	---	---	---	1.4	---	---	---	---	---	---	---	---	220	120
13-SW22	22-Apr-14	---	---	---	---	---	---	1.6	---	---	---	---	---	---	---	---	33	8.8
13-SW22	29-Apr-14	---	---	---	---	---	---	3.5	---	---	---	---	---	---	---	---	130	100
13-SW22	06-May-14	---	---	---	---	---	---	1.7	---	---	---	---	---	---	---	---	130	170
13-SW22	13-May-14	---	---	---	---	---	---	2.6	---	---	---	---	---	---	---	---	150	200
13-SW22	20-May-14	---	---	---	---	---	---	3.5	---	---	---	---	---	---	---	---	58	67
13-SW22	27-May-14	---	---	---	---	---	---	2.0	---	---	---	---	---	---	---	---	18	30
13-SW22	02-Jun-14	---	---	---	---	---	---	2.8	---	---	---	---	---	---	---	---	31	42
13-SW22	09-Jun-14	---	---	---	---	---	---	2.6	---	---	---	---	---	---	---	---	8.7	16
13-SW22	16-Jun-14	---	---	---	---	---	---	1.5	---	---	---	---	---	---	---	---	3.3	7.2
13-SW22	23-Jun-14	---	---	---	---	---	---	2	---	---	---	---	---	---	---	---	4	7.4
13-SW22	01-Jul-14	---	---	---	---	---	---	6.7	---	---	---	---	---	---	---	---	---	---
13-SW22	08-Jul-14	---	---	---	---	---	---	2	---	---	---	---	---	---	---	---	---	---
13-SW22	05-Aug-14	---	---	---	---	---	---	1.7	---	---	---	---	---	---	---	---	3.3	4.1
13-SW26	13-May-14	---	---	---	---	---	---	8.0	---	---	---	---	---	---	---	---	6	4.4
13-SW26	20-May-14	---	---	---	---	---	---	3.7	---	---	---	---	---	---	---	---	3.3	2.8
13-SW26	27-May-14	---	---	---	---	---	---	2.3	---	---	---	---	---	---	---	---	6.7	1.5
13-SW26	02-Jun-14	---	---	---	---	---	---	2.1	---	---	---	---	---	---	---	---	7.3	1.2
13-SW26	09-Jun-14	---	---	---	---	---	---	2.4	---	---	---	---	---	---	---	---	8.7	3.4
13-SW26	16-Jun-14	---	---	---	---	---	---	2.9	---	---	---	---	---	---	---	---	18	20
13-SW26	23-Jun-14	---	---	---	---	---	---	2.3	---	---	---	---	---	---	---	---	45	7.6
13-SW26	01-Jul-14	---	---	---	---	---	---	6.4	---	---	---	---	---	---	---	---	---	---
13-SW26	08-Jul-14	---	---	---	---	---	---	2.2	---	---	---	---	---	---	---	---	---	---
13-SW26	15-Jul-14	---	---	---	---	---	---	2.0	---	---	---	---	---	---	---	---	---	---
13-SW26 dup	15-Jul-14	---	---	---	---	---	---	2.2	---	---	---	---	---	---	---	---	---	---
13-SW26	22-Jul-14	---	---	---	---	---	---	1.6	---	---	---	---	---	---	---	---	15	14
13-SW26	29-Jul-14	---	---	---	---	---	---	1.4	---	---	---	---	---	---	---	---	12	12
13-SW26	05-Aug-14	---	---	---	---	---	---	2.5	---	---	---	---	---	---	---	---	120	17
13-SW26	12-Aug-14	---	220	---	---	---	---	2.3	---	---	---	---	---	---	---	---	---	---
13-SW27	13-May-14	---	---	---	---	---	---	3.9	---	---	---	---	---	---	---	---	1.3	1.7
13-SW27	20-May-14	---	---	---	---	---	---	3.3	---	---	---	---	---	---	---	---	11	4.2
13-SW27	27-May-14	---	---	---	---	---	---	3.0	---	---	---	---	---	---	---	---	5.3	3.7
13-SW27	02-Jun-14	---	---	---	---	---	---	3.9	---	---	---	---	---	---	---	---	2.7	3.3
13-SW27	09-Jun-14	---	---	---	---	---	---	3.7	---	---	---	---	---	---	---	---	4	4.7
ESRD Freshwater Aquatic Life*		6.5-9.0^{pH}	NS	NS	NS	NS	NS	120^{LT}	H^{SO4}	Cl^{LT}	3^{LT}	NS	20^{Alk}	NS	NS	NS	narrative	narrative
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	100^{crop}	NS	NS	NS	NS	NS	NS	NS	500^{crop}	NS	NS
ESRD Agriculture - Livestock*		NS	NS	1000	NS	NS	NS	NS	1000	10	NS	100	NS	NS	NS	3000	NS	NS

TABLE B3.

WATER QUALITY RESULTS - ROUTINE WATER CHEMISTRY

Canadian Natural Resources Limited
09-21-064-04 W4M

Sample Point	Sample Date	Lab pH	Lab EC µS/cm	Ca mg/L	Mg mg/L	Na mg/L	K mg/L	Cl mg/L	SO ₄ mg/L	NO ₂ -N mg/L	NO ₃ -N mg/L	NO ₃ +NO ₂ -N mg/L	Total Alkalinity mg/L	HCO ₃ mg/L	Hardness mg/L	TDS mg/L	TSS mg/L	Turbidity NTU
Surface Water Samples																		
13-SW27	16-Jun-14	---	---	---	---	---	---	3.4	---	---	---	---	---	---	---	---	17	21
13-SW27	23-Jun-14	---	---	---	---	---	---	3.2	---	---	---	---	---	---	---	---	8	7.2
13-SW27	01-Jul-14	---	---	---	---	---	---	3.8	---	---	---	---	---	---	---	---	---	---
13-SW27	08-Jul-14	---	---	---	---	---	---	2.4	---	---	---	---	---	---	---	---	---	---
13-SW27	15-Jul-14	---	---	---	---	---	---	1.4	---	---	---	---	---	---	---	---	---	---
13-SW27	22-Jul-14	---	---	---	---	---	---	2.3	---	---	---	---	---	---	---	---	11	6.1
13-SW27	29-Jul-14	---	---	---	---	---	---	2.3	---	---	---	---	---	---	---	---	6.7	4
13-SW27	05-Aug-14	---	---	---	---	---	---	1.5	---	---	---	---	---	---	---	---	110	17
13-SW27	12-Aug-14	---	450	---	---	---	---	2.4	---	---	---	---	---	---	---	---	---	---
13-SW31	08-Apr-14	---	---	---	---	---	---	1.3	---	---	---	---	---	---	---	---	4.7	3.6
13-SW31	15-Apr-14	---	---	---	---	---	---	1.1	---	---	---	---	---	---	---	---	170	54
13-SW31 dup	15-Apr-14	---	---	---	---	---	---	1.1	---	---	---	---	---	---	---	---	420	130
13-SW31	22-Apr-14	---	---	---	---	---	---	3.3	---	---	---	---	---	---	---	---	100	34
13-SW31 dup	22-Apr-14	---	---	---	---	---	---	1.9	---	---	---	---	---	---	---	---	37	7.2
13-SW31	29-Apr-14	---	---	---	---	---	---	1.8	---	---	---	---	---	---	---	---	4.7	2.1
13-SW31 dup	29-Apr-14	---	---	---	---	---	---	1.1	---	---	---	---	---	---	---	---	6.0	1.4
13-SW31	06-May-14	---	---	---	---	---	---	1.9	---	---	---	---	---	---	---	---	140	180
13-SW31 dup	06-May-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	80	17
13-SW31	13-May-14	---	---	---	---	---	---	2.1	---	---	---	---	---	---	---	---	20	24
13-SW31 dup	13-May-14	---	---	---	---	---	---	7.9	---	---	---	---	---	---	---	---	25	13
13-SW31	20-May-14	---	---	---	---	---	---	3.6	---	---	---	---	---	---	---	---	33	69
13-SW31 dup	20-May-14	---	---	---	---	---	---	3.6	---	---	---	---	---	---	---	---	23	60
13-SW31	27-May-14	---	---	---	---	---	---	2.0	---	---	---	---	---	---	---	---	15	27
13-SW31 dup	27-May-14	---	---	---	---	---	---	21	---	---	---	---	---	---	---	---	1.3	0.55
13-SW31	02-Jun-14	---	---	---	---	---	---	2.6	---	---	---	---	---	---	---	---	28	46
13-SW31 dup	02-Jun-14	---	---	---	---	---	---	2.2	---	---	---	---	---	---	---	---	11	2.9
13-SW31	09-Jun-14	---	---	---	---	---	---	1.2	---	---	---	---	---	---	---	---	2	1.5
13-SW31 dup	09-Jun-14	---	---	---	---	---	---	2.6	---	---	---	---	---	---	---	---	11	18
13-SW31	16-Jun-14	---	---	---	---	---	---	1.6	---	---	---	---	---	---	---	---	1.3	7.9
13-SW31 dup	16-Jun-14	---	---	---	---	---	---	2.0	---	---	---	---	---	---	---	---	5.3	7.6
13-SW31	23-Jun-14	---	---	---	---	---	---	11.0	---	---	---	---	---	---	---	---	71	5.6
13-SW31 dup	23-Jun-14	---	---	---	---	---	---	1.5	---	---	---	---	---	---	---	---	2.7	1.6
13-SW31	01-Jul-14	---	---	---	---	---	---	2.9	---	---	---	---	---	---	---	---	---	---
13-SW31 dup	01-Jul-14	---	---	---	---	---	---	4.4	---	---	---	---	---	---	---	---	---	---
13-SW31	08-Jul-14	---	---	---	---	---	---	1.6	---	---	---	---	---	---	---	---	---	---
13-SW31 dup	08-Jul-14	---	---	---	---	---	---	1.2	---	---	---	---	---	---	---	---	---	---
13-SW31	22-Jul-14	---	---	---	---	---	---	5.7	---	---	---	---	---	---	---	---	9.3	7.2
13-SW31	29-Jul-14	---	---	---	---	---	---	6.1	---	---	---	---	---	---	---	---	6	5.3
13-SW31	05-Aug-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	3.3	1.8
13-SW31	12-Aug-14	---	440	---	---	---	---	2.3	---	---	---	---	---	---	---	---	---	---
ESRD Freshwater Aquatic Life*		6.5-9.0^{pH}	NS	NS	NS	NS	NS	120^{LT}	H^{SO4}	Cl^{LT}	3^{LT}	NS	20^{Alk}	NS	NS	NS	narrative	narrative
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	100^{crop}	NS	NS	NS	NS	NS	NS	NS	500^{crop}	NS	NS
ESRD Agriculture - Livestock*		NS	NS	1000	NS	NS	NS	NS	1000	10	NS	100	NS	NS	NS	3000	NS	NS

TABLE B3.

WATER QUALITY RESULTS - ROUTINE WATER CHEMISTRY

Canadian Natural Resources Limited
09-21-064-04 W4M

Sample Point	Sample Date	Lab pH	Lab EC	Ca	Mg	Na	K	Cl	SO ₄	NO ₂ -N	NO ₃ -N	NO ₃ +NO ₂ -N	Total Alkalinity	HCO ₃	Hardness	TDS	TSS	Turbidity	
			µS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	NTU
Surface Water Samples																			
13-SW46	20-May-14	---	---	---	---	---	---	2.4	---	---	---	---	---	---	---	---	34	20	
13-SW46	02-Jun-14	---	---	---	---	---	---	1.6	---	---	---	---	---	---	---	---	5.3	4.3	
13-SW46	09-Jun-14	---	---	---	---	---	---	1.8	---	---	---	---	---	---	---	---	1.3	1.3	
13-SW46	16-Jun-14	---	---	---	---	---	---	1.7	---	---	---	---	---	---	---	---	5.3	4.8	
13-SW46	23-Jun-14	---	---	---	---	---	---	2.1	---	---	---	---	---	---	---	---	36	15	
13-SW46	01-Jul-14	---	---	---	---	---	---	4.6	---	---	---	---	---	---	---	---	---	---	
13-SW46	08-Jul-14	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
Basin 3 Culvert	15-Jul-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	---	---	
Basin 4 Culvert	15-Jul-14	---	---	---	---	---	---	<1.0	---	---	---	---	---	---	---	---	---	---	
Containment Structure Samples																			
14-SW1-P1	01-Apr-14	---	---	---	---	---	---	46	---	---	---	---	---	---	---	---	21	---	
14-SW1-P1	01-Apr-14	---	---	---	---	---	---	3.0	---	---	---	---	---	---	---	---	400	360	
14-SW1-P1	29-Apr-14	---	---	---	---	---	---	3.2	---	---	---	---	---	---	---	---	350	510	
14-SW1-P1	06-May-14	---	---	---	---	---	---	16	---	---	---	---	---	---	---	---	320	400	
14-SW1-P1	13-May-14	---	---	---	---	---	---	1.3	---	---	---	---	---	---	---	---	54	82	
14-SW1-P1	20-May-14	---	---	---	---	---	---	3.6	---	---	---	---	---	---	---	---	43	62	
14-SW1-P1	27-May-14	---	---	---	---	---	---	2.0	---	---	---	---	---	---	---	---	14	18	
14-SW1-P2	05-Apr-14	---	---	---	---	---	---	22	---	---	---	---	---	---	---	---	130	---	
14-SW81	02-Jun-14	---	---	---	---	---	---	2.6	---	---	---	---	---	---	---	---	24	39	
14-SW81	09-Jun-14	---	---	---	---	---	---	2.4	---	---	---	---	---	---	---	---	450	1000	
14-SW81	16-Jun-14	---	---	---	---	---	---	1.9	---	---	---	---	---	---	---	---	8	18	
14-SW81	23-Jun-14	---	---	---	---	---	---	1.9	---	---	---	---	---	---	---	---	15	24	
14-SW81	01-Jul-14	---	---	---	---	---	---	4.7	---	---	---	---	---	---	---	---	---	---	
14-SW81	08-Jul-14	---	---	---	---	---	---	1.9	---	---	---	---	---	---	---	---	---	---	
14-SW81	05-Aug-14	---	---	---	---	---	---	1.4	---	---	---	---	---	---	---	---	46	20	
Minimal Detection Limit		0.1	1	0.3	0.2	0.5	0.3	1	0.5	0.003	0.003	0.003	0.5	0.5	0.5	10	3	0.1	
ESRD Freshwater Aquatic Life*		6.5-9.0^{pH}	NS	NS	NS	NS	NS	120^{LT}	H^{SO4}	Cl^{LT}	3^{LT}	NS	20^{Alk}	NS	NS	NS	narrative	narrative	
ESRD Agriculture - Irrigation*		NS	NS	NS	NS	NS	NS	100^{crop}	NS	NS	NS	NS	NS	NS	NS	500^{crop}	NS	NS	
ESRD Agriculture - Livestock*		NS	NS	1000	NS	NS	NS	NS	1000	10	NS	100	NS	NS	NS	3000	NS	NS	

Notes:

- - not analyzed
- NS - not specified
- ^{crop} - guideline level is crop dependent; criterion shown is most stringent value
- H - dependent on hardness value
- Cl - dependent on chloride value
- ^{pH} - not to be altered by more than 0.5 units from background
- ^{LT} - long-term exposure guideline; see applicable guidelines for further details
- ^{Alk} - minimum value, unless natural conditions are less
- ^{SO4} - guideline level is hardness dependent; hardness values greater than 250 mg/L need to be determined based on site water
- * - Environmental Quality Guidelines for Alberta Surface Waters (ESRD 2014)
- Italics** - values do not meet applicable guidelines

TABLE B4.**WATER QUALITY RESULTS - PIW SAMPLES - GENERAL PARAMETERS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Cl mg/L	TSS mg/L	Turbidity NTU
Pre-Treatment				
14-PIW-PRE	28-Apr-14	52	260	460
14-PIW-PRE	30-Apr-14	43	7.3	100
14-PIW-PRE	08-May-14	24	92	170
14-PIW-PRE	02-Jun-14	13	140	160
14-PIW-PRE	09-Jun-14	33	57	70
14-PIW-PRE	10-Jun-14	14	37	29
15-26 Pre-Treatment	16-Jun-14	25	---	---
15-26 Pre-Treatment	19-Jun-14	22	---	---
15-26 Pre-Treatment	21-Jun-14	17	---	---
15-26 Pre-Treatment	24-Jun-14	17	---	---
15-26 Pre-Treatment	26-Jun-14	18	---	---
15-26 Pre-Treatment	27-Jun-14	14	---	---
15-26 Pre-Treatment	29-Jun-14	8.3	---	---
15-26 Pre-Treatment	30-Jun-14	12	---	---
15-26 Pre-Treatment	01-Jul-14	12	---	---
15-26 Pre-Treatment	03-Jul-14	24	---	---
Discharge				
14-PIW	08-May-14	30	100	170
14-PIW	20-May-14	30	43	44
14-PIW	27-May-14	<1	66	86
14-PIW	02-Jun-14	11	99	210
14-PIW	09-Jun-14	39	12	41
14-PIW	10-Jun-14	22	23	30
15-26 14-SW20	03-Jun-14	1.2	6.7	2.5
Upstream Bag Filter				
15-26 U/S Bag Filter	16-Jun-14	26	---	---
15-26 U/S Bag Filter	19-Jun-14	20	---	---
15-26 U/S Bag Filter	21-Jun-14	20	---	---
15-26 U/S Bag Filter	24-Jun-14	21	---	---
15-26 U/S Bag Filter	26-Jun-14	18	---	---
15-26 U/S Bag Filter	27-Jun-14	16	---	---
15-26 U/S Bag Filter	29-Jun-14	14	---	---
15-26 U/S Bag Filter	30-Jun-14	11	---	---
15-26 U/S Bag Filter	01-Jul-14	14	---	---
15-26 U/S Bag Filter	03-Jul-14	20	---	---
Alberta Tier 1 - Natural Areas*		230^A	NS	NS

TABLE B4.**WATER QUALITY RESULTS - PIW SAMPLES - GENERAL PARAMETERS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Cl mg/L	TSS mg/L	Turbidity NTU
Downstream Bag Filter				
15-26 D/S Bag Filter	16-Jun-14	24	---	---
15-26 D/S Bag Filter	19-Jun-14	20	---	---
15-26 D/S Bag Filter	21-Jun-14	19	---	---
15-26 D/S Bag Filter	24-Jun-14	18	---	---
15-26 D/S Bag Filter	26-Jun-14	17	---	---
15-26 D/S Bag Filter	27-Jun-14	15	---	---
15-26 D/S Bag Filter	29-Jun-14	7.5	---	---
15-26 D/S Bag Filter	30-Jun-14	9.8	---	---
15-26 D/S Bag Filter	01-Jul-14	14	---	---
15-26 D/S Bag Filter	03-Jul-14	17	---	---
Downstream Carbon Filter				
15-26 D/S Carbon Filter	16-Jun-14	57	---	---
15-26 D/S Carbon Filter	19-Jun-14	18	---	---
15-26 D/S Carbon Filter	21-Jun-14	18	---	---
15-26 D/S Carbon Filter	24-Jun-14	23	---	---
15-26 D/S Carbon Filter	26-Jun-14	13	---	---
15-26 D/S Carbon Filter	27-Jun-14	14	---	---
15-26 D/S Carbon Filter	29-Jun-14	6.2	---	---
15-26 D/S Carbon Filter	30-Jun-14	10	---	---
15-26 D/S Carbon Filter	01-Jul-14	14	---	---
15-26 D/S Carbon Filter	03-Jul-14	27	---	---
Downstream Clay Filter				
15-26 D/S Clay Filter	16-Jun-14	29	---	---
15-26 D/S Clay Filter	19-Jun-14	21	---	---
15-26 D/S Clay Filter	21-Jun-14	17	---	---
15-26 D/S Clay Filter	24-Jun-14	25	---	---
15-26 D/S Clay Filter	26-Jun-14	15	---	---
15-26 D/S Clay Filter	27-Jun-14	15	---	---
15-26 D/S Clay Filter	29-Jun-14	8.8	---	---
15-26 D/S Clay Filter	30-Jun-14	10	---	---
15-26 D/S Clay Filter	01-Jul-14	16	---	---
15-26 D/S Clay Filter	03-Jul-14	25	---	---
Alberta Tier 1 - Natural Areas*		230^A	NS	NS

TABLE B4.**WATER QUALITY RESULTS - PIW SAMPLES - GENERAL PARAMETERS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Cl mg/L	TSS mg/L	Turbidity NTU
C-Ring Containment				
C Ring Containment	17-Jun-14	24	---	---
C Ring Containment	19-Jun-14	22	---	---
C Ring Containment	21-Jun-14	21	---	---
C Ring Containment	24-Jun-14	18	---	---
C Ring Containment	26-Jun-14	15	---	---
C Ring Containment	27-Jun-14	15	---	---
C Ring Containment	29-Jun-14	9.4	---	---
C Ring Containment	30-Jun-14	12	---	---
C Ring Containment	01-Jul-14	15	---	---
C Ring Containment	03-Jul-14	19	---	---
C Ring Containment	09-Jul-14	25	---	---
C Ring Containment	11-Jul-14	9.5	---	---
C Ring Containment	17-Jul-14	21	---	---
C Ring Containment	19-Jul-14	16	---	---
C Ring Containment	22-Jul-14	19	---	---
C Ring Containment	24-Jul-14	15	---	---
C Ring Containment	26-Jul-14	13	---	---
C Ring Containment	28-Jul-14	6.2	---	---
C Ring Containment	30-Jul-14	10	---	---
C Ring Containment	01-Aug-14	10	---	---
C Ring Containment	04-Aug-14	11	---	---
C Ring Containment	06-Aug-14	13	---	---
C Ring Containment	08-Aug-14	14	---	---
C Ring Containment	12-Aug-14	9.8	---	---
C Ring Containment	13-Aug-14	9	---	---
C Ring Containment	15-Aug-14	18	---	---
Minimal Detection Limit		1	3	0.1
Alberta Tier 1 - Natural Areas*		230^A	NS	NS

Notes:

--- - not analyzed

NS - not specified

^A - indicates guideline for Aquatic Life exposure pathway* - *Alberta Tier 1 Soil and Groundwater Remediation Guidelines* (AENV 2010)**Italics** - values do not meet applicable guidelines

TABLE B5.

WATER QUALITY RESULTS - PIW SAMPLES - DISSOLVED HYDROCARBONS

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
Pre-Treatment									
14-PIW-PRE	28-Apr-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	---	---
14-PIW-PRE	30-Apr-14	<0.0004	0.002	0.00046	0.0023	<0.1	0.24	---	---
14-PIW-PRE	08-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	0.13	---	---
14-PIW-PRE	02-Jun-14	<0.0004	0.00075	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
14-PIW-PRE	09-Jun-14	<0.0004	<0.0004	<0.0004	<0.0004	<0.1	<0.10	<0.20	<0.20
14-PIW-PRE	10-Jun-14	<0.00040	0.0018	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
15-26 Pre-Treatment	16-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	0.21
15-26 Pre-Treatment	19-Jun-14	<0.00040	0.0036	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 Pre-Treatment	21-Jun-14	<0.00040	0.0023	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 Pre-Treatment	24-Jun-14	<0.00040	0.0029	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 Pre-Treatment	26-Jun-14	<0.00040	0.0027	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 Pre-Treatment	27-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 Pre-Treatment	29-Jun-14	0.00058	0.0025	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 Pre-Treatment	30-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 Pre-Treatment	01-Jul-14	<0.00040	0.0021	<0.00040	<0.004	<0.10	<0.10	0.32	<0.20
15-26 Pre-Treatment	03-Jul-14	<0.00040	0.0039	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
Discharge									
14-PIW	08-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	---	---
14-PIW	20-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.2	<0.2
14-PIW	27-May-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	0.18	1	<0.2
14-PIW	02-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
14-PIW	09-Jun-14	<0.0004	0.00044	<0.0004	<0.0004	<0.1	0.32	0.37	<0.20
14-PIW	10-Jun-14	<0.0004	<0.0004	<0.0004	<0.0008	<0.1	<0.10	<0.20	<0.20
15-26 14-SW20	03-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	<0.20	<0.20
Upstream Bag Filter									
15-26 U/S Bag Filter	16-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 U/S Bag Filter	19-Jun-14	<0.00040	0.0033	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 U/S Bag Filter	21-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 U/S Bag Filter	24-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 U/S Bag Filter	26-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	0.15	0.22	<0.20
15-26 U/S Bag Filter	27-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 U/S Bag Filter	29-Jun-14	<0.00040	0.0024	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 U/S Bag Filter	30-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 U/S Bag Filter	01-Jul-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 U/S Bag Filter	03-Jul-14	<0.00040	0.0023	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
Alberta Tier 1 - Coarse Grained Soils - Natural Areas*		0.005^{P,MAC}	0.024^{P,AO}	0.0024^{P,AO}	0.3^{P,AO}	2.2^P	1.1^P	NS	NS

TABLE B5.**WATER QUALITY RESULTS - PIW SAMPLES - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
Downstream Bag Filter									
15-26 D/S Bag Filter	16-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	0.69	2.7	<0.20
15-26 D/S Bag Filter	19-Jun-14	<0.00040	0.0032	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Bag Filter	21-Jun-14	<0.00040	0.0024	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Bag Filter	24-Jun-14	<0.00040	0.0023	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Bag Filter	26-Jun-14	<0.00040	0.0021	<0.00040	<0.004	<0.10	0.1	<0.20	<0.20
15-26 D/S Bag Filter	27-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Bag Filter	29-Jun-14	<0.00040	0.0025	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Bag Filter	30-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Bag Filter	01-Jul-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Bag Filter	03-Jul-14	<0.00040	0.0027	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
Downstream Carbon Filter									
15-26 D/S Carbon Filter	16-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	0.35	<0.20
15-26 D/S Carbon Filter	19-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Carbon Filter	21-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Carbon Filter	24-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Carbon Filter	26-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Carbon Filter	27-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Carbon Filter	29-Jun-14	0.00059	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Carbon Filter	30-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Carbon Filter	01-Jul-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Carbon Filter	03-Jul-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
Downstream Clay Filter									
15-26 D/S Clay Filter	16-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	0.2	<0.20	<0.20
15-26 D/S Clay Filter	19-Jun-14	<0.00040	0.0035	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Clay Filter	21-Jun-14	<0.00040	0.0028	<0.00040	<0.004	0.1	<0.10	<0.20	<0.20
15-26 D/S Clay Filter	24-Jun-14	<0.00040	0.0022	<0.00040	<0.004	<0.1	0.11	<0.20	<0.20
15-26 D/S Clay Filter	26-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	0.11	<0.20	<0.20
15-26 D/S Clay Filter	27-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Clay Filter	29-Jun-14	<0.00040	0.0024	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Clay Filter	30-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Clay Filter	01-Jul-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
15-26 D/S Clay Filter	03-Jul-14	<0.00040	0.0023	<0.00040	<0.004	<0.10	<0.10	0.21	<0.20
Alberta Tier 1 - Coarse Grained Soils - Natural Areas*		0.005^{P,MAC}	0.024^{P,AO}	0.0024^{P,AO}	0.3^{P,AO}	2.2^P	1.1^P	NS	NS

TABLE B5.**WATER QUALITY RESULTS - PIW SAMPLES - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
C-Ring Containment									
C Ring Containment	17-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	0.22
C Ring Containment	19-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
C Ring Containment	21-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
C Ring Containment	24-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
C Ring Containment	26-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
C Ring Containment	27-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
C Ring Containment	29-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
C Ring Containment	30-Jun-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	0.29	<0.20
C Ring Containment	01-Jul-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
C Ring Containment	03-Jul-14	<0.00040	<0.002	<0.00040	<0.004	<0.10	<0.10	<0.20	<0.20
C Ring Containment	09-Jul-14	<0.00040	0.00069	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	11-Jul-14	<0.00040	0.00048	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	17-Jul-14	<0.00040	<0.0004	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	19-Jul-14	<0.00040	<0.0004	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	22-Jul-14	<0.00040	<0.0004	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	24-Jul-14	<0.00040	<0.0004	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	26-Jul-14	<0.00040	<0.0004	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	28-Jul-14	<0.00040	<0.0004	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	30-Jul-14	<0.00040	<0.0004	<0.00040	<0.0008	<0.10	<0.10	---	---
C Ring Containment	01-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
C Ring Containment	04-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
C Ring Containment	06-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
C Ring Containment	08-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
C Ring Containment	12-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
C Ring Containment	13-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
C Ring Containment	15-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
Minimal Detection Limit		0.0004	0.0004	0.0004	0.0008	0.1	0.1	0.2	0.2
Alberta Tier 1 - Coarse Grained Soils - Natural Areas*		0.005^{P,MAC}	0.024^{P,AO}	0.0024^{P,AO}	0.3^{P,AO}	2.2^P	1.1^P	NS	NS

Notes:

--- - not analyzed

NS - not specified

A - indicates guideline for Aquatic Life exposure pathway

P - indicates guideline for Potable Groundwater exposure pathway

AO - aesthetic objective from *Guidelines for Canadian Drinking Water Quality-Summary Table* (Health Canada 2012)MAC - maximum acceptable concentration based on health effects from *Guidelines for Canadian Drinking Water Quality-Summary Table* (Health Canada 2012)* - *Alberta Tier 1 Soil and Groundwater Remediation Guidelines* (AENV 2010)**Italics** - values do not meet applicable guidelines

TABLE B6.
WATER QUALITY RESULTS - PIW SAMPLES - POLYCYCLIC AROMATIC HYDROCARBONS

 Canadian Natural Resources Limited
 09-21-064-04 W4M

Monitoring Well	Sample Date	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benz[a]anthracene ⁺⁺ µg/L	Benzo[b+]fluoranthene ⁺⁺ µg/L	Benzo[k]fluoranthene ⁺⁺ µg/L	Benzo[g,h,i,l]perylene ⁺⁺ µg/L	Benzo[a]pyrene ⁺⁺ µg/L	Chrysene ⁺⁺ µg/L	Dibenz[a,h]anthracene ⁺⁺ µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno[1,2,3-c,d]pyrene ⁺⁺ µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	Benzo[a]pyrene TPE ⁺⁺⁺ µg/L
Pre-Treatment																		
14-PIW-PRE	28-Apr-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.51	<0.050	<0.020	ND
14-PIW-PRE	30-Apr-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	59	<0.050	<0.020	ND
14-PIW-PRE	08-May-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	0.012	0.061	<0.0085	0.57	0.10	0.046**	ND
14-PIW-PRE	02-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
14-PIW-PRE	09-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
14-PIW-PRE	10-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	16-Jun-14	<0.10	<0.10	<0.010	0.016	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	0.0016
15-26 Pre-Treatment	19-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.015	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	21-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	24-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	26-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	27-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	29-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	30-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.025	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	01-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 Pre-Treatment	03-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
Discharge																		
14-PIW	08-May-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	0.034**	ND
14-PIW	20-May-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.21	<0.050	<0.020	ND
14-PIW	27-May-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	14	<0.050	<0.020	ND
14-PIW	02-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.17	<0.050	<0.020	ND
14-PIW	09-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	22	<0.050	<0.020	ND
14-PIW	10-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.14	<0.050	<0.020	ND
15-26 14-SW20	03-Jun-14	<0.12	<0.12	<0.012	<0.010	<0.010	<0.010	<0.010	<0.0089	<0.010	<0.0089	<0.012	<0.060	<0.010	<0.12	<0.060	<0.024	ND
Upstream Bag Filter																		
15-26 U/S Bag Filter	16-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.22	<0.050	<0.020	ND
15-26 U/S Bag Filter	19-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.015	<0.0075	<0.010	<0.050	<0.0085	0.12	<0.050	<0.020	ND
15-26 U/S Bag Filter	21-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.17	<0.050	<0.020	ND
15-26 U/S Bag Filter	24-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.11	<0.050	<0.020	ND
15-26 U/S Bag Filter	26-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.11	<0.050	<0.020	ND
15-26 U/S Bag Filter	27-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 U/S Bag Filter	29-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 U/S Bag Filter	30-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.025	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 U/S Bag Filter	01-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.15	<0.050	<0.020	ND
15-26 U/S Bag Filter	03-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
Alberta Tier 1 - Coarse Grained Soils - Natural Areas*		5.8^A	46^A	0.012^A	0.018^A	0.48^A	0.48^A	0.17^A	0.015^A	1.4^A	0.26^A	0.04^A	3^A	0.21^A	1.1^A	0.4^A	0.025^A	0.01^P

TABLE B6.

WATER QUALITY RESULTS - PIW SAMPLES - POLYCYCLIC AROMATIC HYDROCARBONS

Canadian Natural Resources Limited
09-21-064-04 W4M

Monitoring Well	Sample Date	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benz[a]anthracene ⁺⁺ µg/L	Benzo[b+]fluoranthene ⁺⁺ µg/L	Benzo[k]fluoranthene ⁺⁺ µg/L	Benzo[g,h,i]perylene ⁺⁺ µg/L	Benzo[a]pyrene ⁺⁺ µg/L	Chrysene ⁺⁺ µg/L	Dibenz[a,h]anthracene ⁺⁺ µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno[1,2,3-c,d]pyrene ⁺⁺ µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	Benzo[a]pyrene TPE ⁺⁺⁺ µg/L
Downstream Bag Filter																		
15-26 D/S Bag Filter	16-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	1.00	<0.050	0.02	ND
15-26 D/S Bag Filter	19-Jun-14	<0.10	<0.10	0.034	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.015	<0.0075	<0.010	<0.050	<0.0085	0.12	<0.050	<0.020	ND
15-26 D/S Bag Filter	21-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.31	0.051	<0.020	ND
15-26 D/S Bag Filter	24-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.19	<0.050	<0.020	ND
15-26 D/S Bag Filter	26-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.16	<0.050	<0.020	ND
15-26 D/S Bag Filter	27-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 D/S Bag Filter	29-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 D/S Bag Filter	30-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.025	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 D/S Bag Filter	01-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.2	<0.050	<0.020	ND
15-26 D/S Bag Filter	03-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
Downstream Carbon Filter																		
15-26 D/S Carbon Filter	16-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	1.10	<0.050	<0.020	ND
15-26 D/S Carbon Filter	19-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.015	<0.0075	<0.010	<0.050	<0.0085	0.17	<0.050	<0.020	ND
15-26 D/S Carbon Filter	21-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.19	<0.050	<0.020	ND
15-26 D/S Carbon Filter	24-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.16	<0.050	<0.020	ND
15-26 D/S Carbon Filter	26-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.13	<0.050	<0.020	ND
15-26 D/S Carbon Filter	27-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.1	<0.050	<0.020	ND
15-26 D/S Carbon Filter	29-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 D/S Carbon Filter	30-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.025	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 D/S Carbon Filter	01-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 D/S Carbon Filter	03-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
Downstream Clay Filter																		
15-26 D/S Clay Filter	16-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	1.10	<0.050	<0.020	ND
15-26 D/S Clay Filter	19-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.015	<0.0075	<0.010	<0.050	<0.0085	0.22	<0.050	<0.020	ND
15-26 D/S Clay Filter	21-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.3	<0.050	<0.020	ND
15-26 D/S Clay Filter	24-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.23	<0.050	<0.020	ND
15-26 D/S Clay Filter	26-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.18	<0.050	<0.020	ND
15-26 D/S Clay Filter	27-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.12	<0.050	<0.020	ND
15-26 D/S Clay Filter	29-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
15-26 D/S Clay Filter	30-Jun-14	<0.10	<0.10	<0.010	0.017	<0.0085	<0.0085	<0.0085	<0.0075	<0.025	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	0.0017
15-26 D/S Clay Filter	01-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.13	<0.050	<0.020	ND
15-26 D/S Clay Filter	03-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
Alberta Tier 1 - Coarse Grained Soils - Natural Areas*		5.8^A	46^A	0.012^A	0.018^A	0.48^A	0.48^A	0.17^A	0.015^A	1.4^A	0.26^A	0.04^A	3^A	0.21^A	1.1^A	0.4^A	0.025^A	0.01^P

TABLE B6.

WATER QUALITY RESULTS - PIW SAMPLES - POLYCYCLIC AROMATIC HYDROCARBONS

Canadian Natural Resources Limited
09-21-064-04 W4M

Monitoring Well	Sample Date	Acenaphthene µg/L	Acenaphthylene µg/L	Anthracene µg/L	Benz[a]anthracene ⁺⁺ µg/L	Benzo[b+][fluoranthene ⁺⁺ µg/L	Benzo[k]fluoranthene ⁺⁺ µg/L	Benzo[g,h,i]perylene ⁺⁺ µg/L	Benzo[a]pyrene ⁺⁺ µg/L	Chrysene ⁺⁺ µg/L	Dibenz[a,h]anthracene ⁺⁺ µg/L	Fluoranthene µg/L	Fluorene µg/L	Indeno[1,2,3-c,d]pyrene ⁺⁺ µg/L	Naphthalene µg/L	Phenanthrene µg/L	Pyrene µg/L	Benzo[a]pyrene TPE ⁺⁺⁺ µg/L
C-Ring Containment																		
C Ring Containment	17-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.12	<0.050	<0.020	ND
C Ring Containment	19-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.015	<0.0075	<0.010	<0.050	<0.0085	0.10	<0.050	<0.020	ND
C Ring Containment	21-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.18	<0.050	<0.020	ND
C Ring Containment	24-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.17	<0.050	<0.020	ND
C Ring Containment	26-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.16	<0.050	<0.020	ND
C Ring Containment	27-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	0.10	<0.050	<0.020	ND
C Ring Containment	29-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
C Ring Containment	30-Jun-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.025	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
C Ring Containment	01-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
C Ring Containment	03-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.020	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
C Ring Containment	09-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.39	<0.050	<0.020	ND
C Ring Containment	11-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.12	<0.050	<0.020	ND
C Ring Containment	17-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.14	<0.050	<0.020	ND
C Ring Containment	19-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.11	<0.050	<0.020	ND
C Ring Containment	22-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.11	<0.050	<0.020	ND
C Ring Containment	24-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.16	<0.050	<0.020	ND
C Ring Containment	26-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
C Ring Containment	28-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.13	<0.050	<0.020	ND
C Ring Containment	30-Jul-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.14	<0.050	<0.020	ND
C Ring Containment	01-Aug-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
C Ring Containment	04-Aug-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.19	<0.050	<0.020	ND
C Ring Containment	06-Aug-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	<0.10	<0.050	<0.020	ND
C Ring Containment	08-Aug-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.17	<0.050	<0.020	ND
C Ring Containment	12-Aug-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.15	<0.050	<0.020	ND
C Ring Containment	13-Aug-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.22	<0.050	<0.020	ND
C Ring Containment	15-Aug-14	<0.10	<0.10	<0.010	<0.0085	<0.0085	<0.0085	<0.0085	<0.0075	<0.0085	<0.0075	<0.010	<0.050	<0.0085	0.14	<0.050	<0.020	ND
Minimal Detection Limit		0.1	0.1	0.01	0.0085	0.0085	0.0085	0.0085	0.0075	0.0085	0.0075	0.01	0.05	0.0085	0.1	0.05	0.02	-
Alberta Tier 1 - Coarse Grained Soils - Natural Areas*		5.8^A	46^A	0.012^A	0.018^A	0.48^A	0.48^A	0.17^A	0.015^A	1.4^A	0.26^A	0.04^A	3^A	0.21^A	1.1^A	0.4^A	0.025^A	0.01^P

Notes:

ND - not detected

NS - not specified

^A - indicates guideline for Aquatic Life exposure pathway

^P - indicates guideline for Potable Groundwater exposure pathway

⁺⁺ - carcinogenic PAH compounds

⁺⁺⁺ - equivalent Benzo[a]pyrene concentrations calculated by Matrix Solutions are based on relative carcinogenic potency

* - Alberta Tier 1 Soil and Groundwater Remediation Guidelines (AENV 2010)

** - concentration is determined to be suspect as pyrene was detected in all samples analyzed in Maxxam batch 7479418 (including blanks)

Italics - values do not meet applicable guidelines

TABLE B7.**WATER QUALITY RESULTS - GROUNDWATER SAMPLES IN PIW DISCHARGE AREA - GENERAL PARAMETERS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Cl mg/L	TSS mg/L	Turbidity NTU
14-DP1	02-Jun-14	7.3	3500	3100
14-DP1	09-Jun-14	9.4	940	2000
14-DP1	16-Jun-14	7.4	1200	720
14-DP1	23-Jun-14	9.3	530	220
14-DP1	04-Aug-14	9.5	1600	610
14-DP2	02-Jun-14	8.7	2600	2200
14-DP2	09-Jun-14	9.6	2600	3000
14-DP2	16-Jun-14	8	1800	930
14-DP2	23-Jun-14	9.4	1100	420
14-DP2	14-Jul-14	11	---	---
14-DP2	04-Aug-14	12	140	38
14-DP3	02-Jun-14	11	1300	810
14-DP3	09-Jun-14	11	1400	920
14-DP3	16-Jun-14	9.2	980	440
14-DP3	23-Jun-14	8.9	390	210
14-DP3	14-Jul-14	8.2	---	---
14-DP3	04-Aug-14	10	1100	360
14-DP4	02-Jun-14	7.1	3700	2900
14-DP4	09-Jun-14	7.1	280	240
14-DP4	16-Jun-14	5	270	180
14-DP4	23-Jun-14	4.3	340	130
14-DP4	14-Jul-14	5.4	---	---
14-DP4	04-Aug-14	6.3	110	38
14-DP5	02-Jun-14	5.2	1300	460
14-DP5	09-Jun-14	3.9	370	130
14-DP5	16-Jun-14	2.7	430	130
14-DP5	23-Jun-14	2.2	150	46
14-DP5	14-Jul-14	3.8	---	---
14-DP5	04-Aug-14	4.4	4	2
Alberta Tier 1 - Natural Areas*		230^A	NS	NS
ESRD Freshwater Aquatic Life**		120^LT	narrative	narrative
ESRD Agriculture - Irrigation**		100^{crop}	NS	NS
ESRD Agriculture - Livestock**		NS	NS	NS

TABLE B7.**WATER QUALITY RESULTS - GROUNDWATER SAMPLES IN PIW DISCHARGE AREA - GENERAL PARAMETERS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Cl mg/L	TSS mg/L	Turbidity NTU
14-DP6	02-Jun-14	7.8	550	250
14-DP6	09-Jun-14	5.7	190	110
14-DP6	16-Jun-14	4.3	140	33
14-DP6	23-Jun-14	2.5	55	15
14-DP6	14-Jul-14	2.6	---	---
14-DP6	04-Aug-14	2.8	18	3.1
14-DP7	14-Jul-14	8.8	---	---
Minimal Detection Limit		1	3	0.1
Alberta Tier 1 - Natural Areas*		230^A	NS	NS
ESRD Freshwater Aquatic Life**		120^{LT}	narrative	narrative
ESRD Agriculture - Irrigation**		100^{crop}	NS	NS
ESRD Agriculture - Livestock**		NS	NS	NS

Notes:

NS - not specified

^A - indicates guideline for Aquatic Life exposure pathway^{crop} - guideline level is crop dependent; criterion shown is most stringent value^{LT} - long-term exposure guideline; see applicable guidelines for further details* - *Alberta Tier 1 Soil and Groundwater Remediation Guidelines* (AENV 2010)** - *Environmental Quality Guidelines for Alberta Surface Waters* (ESRD 2014)**Italics** - values do not meet applicable ESRD guidelines

TABLE B8.**WATER QUALITY RESULTS - GROUNDWATER SAMPLES IN PIW DISCHARGE AREA - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
14-DP1	02-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP1	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP1	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP1	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP1	04-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP2	02-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP2	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP2	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	0.13	---	---
14-DP2	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP2	14-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	0.13	---	---
14-DP2	04-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP3	02-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP3	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP3	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP3	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP3	14-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP3	04-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP4	02-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP4	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP4	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP4	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP4	14-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP4	04-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP5	02-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP5	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP5	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP5	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP5	14-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP5	04-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
Alberta Tier 1 - Coarse Grained Soils - Natural Areas*		0.005^{P,MAC}	0.024^{P,AO}	0.0024^{P,AO}	0.3^{P,AO}	2.2^P	1.1^P	NS	NS
ESRD Freshwater Aquatic Life**		0.04	0.0005	0.09	0.03	NSST	NSST	NS	NS
ESRD Agriculture - Irrigation**		NS	NS	NS	NS	NS	NS	NS	NS
ESRD Agriculture - Livestock**		NS	0.024	0.0024	NS	NS	NS	NS	NS

TABLE B8.**WATER QUALITY RESULTS - GROUNDWATER SAMPLES IN PIW DISCHARGE AREA - DISSOLVED HYDROCARBONS**

Canadian Natural Resources Limited

09-21-064-04 W4M

Sample Point	Sample Date	Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Xylenes mg/L	F1 C ₆ -C ₁₀ - BTEX mg/L	F2 C _{>10} -C ₁₆ mg/L	F3 C _{>16} -C ₃₄ mg/L	F4 C _{>34} -C ₅₀ mg/L
14-DP6	02-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP6	09-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.1	<0.10	<0.20	<0.20
14-DP6	16-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP6	23-Jun-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP6	14-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP6	04-Aug-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
14-DP7	14-Jul-14	<0.00040	<0.00040	<0.00040	<0.00080	<0.10	<0.10	---	---
Minimal Detection Limit		0.0004	0.0004	0.0004	0.0008	0.1	0.1	0.2	0.2
Alberta Tier 1 - Coarse Grained Soils - Natural Areas*		0.005^{P,MAC}	0.024^{P,AO}	0.0024^{P,AO}	0.3^{P,AO}	2.2^P	1.1^P	NS	NS
ESRD Freshwater Aquatic Life**		0.04	0.0005	0.09	0.03	NSST	NSST	NS	NS
ESRD Agriculture - Irrigation**		NS	NS	NS	NS	NS	NS	NS	NS
ESRD Agriculture - Livestock**		NS	0.024	0.0024	NS	NS	NS	NS	NS

Notes:

NS - not specified

A - indicates guideline for Aquatic Life exposure pathway

P - indicates guideline for Potable Groundwater exposure pathway

AO - aesthetic objective from *Guidelines for Canadian Drinking Water Quality-Summary Table* (Health Canada 2012)MAC - maximum acceptable concentration based on health effects from *Guidelines for Canadian Drinking Water Quality-Summary Table* (Health Canada 2012)

ST - see applicable guidelines for short-term exposure guideline

* - *Alberta Tier 1 Soil and Groundwater Remediation Guidelines* (AENV 2010)** - *Environmental Quality Guidelines for Alberta Surface Waters* (ESRD 2014)**Italics** - values do not meet applicable ESRD guidelines

